

JV-392HV37V12

1/3" Sony D&N Low-Light Super Hi-Res Vari-Focal Vandal Resistant Dome with 3.7-12mm Auto Iris Lens (540TVL) 3 Axis bracket



Features

- Camera with SONY Super HAD CCD sensor.
- Employs Digital Signal Processor (DSP) IC for image control.
- Pixel number: NTSC = 380K / PAL = 440K (EIA = 380K / CCIR = 440K)
- High sensitivity, low smear, high anti-blooming and high S/N ratio.
- Powerful functions: Auto Electronic Shutter (AES), Auto Iris (AI), Auto Gain Control (AGC), Auto White Balance (AWB), and Back Light Compensation (BLC).

JV-392HV37V12

1/3" Sony D&N Low-Light Super Hi-Res Vari-Focal Vandal Resistant Dome with 3.7-12mm Auto Iris Lens (540TVL) 3 Axis bracket

SPECIFICATION

Item	Specification
Image Device	1/3" SONY HI-Res. Super HAD
Picture Elements	NTSC: 768x494
Resolution	540 TVL
Min. Illumination	0.3 Lux / F2.0
S/N Ratio	More than 48dB
Electronic Shutter	NTSC: 1/60S – 1/100,000S
Gain Control	Auto
White Balance	Color Temperature: 2500K – 9500K
Scanning System	Interlace 2:1
Gamma	0.45
Lens Furnished	Vari-Focal Lens f=3.7 – 12.0mm (Wide: H71.6° x V55.8°, Tele: H23.8° x 17.9°)
Sync System	Internal
Video Output	1Vp-p / 75 Ohms
Audio Output	2 Vp-p / 50 Ohms
Power Supply	DC 12V± 10%
Power Consumption	130mA max

Design and specifications are subject to change without notice.